


2.50mm Pitch OTS Discrete Wire Harness Based on Molex Mini Spox Series WTB Connectors

Ideal for compact applications, the Mini Spox 2.50mm Wire-to-Board Connector System provides electrical and mechanical reliability in a high-temperature design that meets automotive, consumer and industrial industry requirements.


Conbeone released the on-the-shelf cable assemblies based on molex Mini Spox series connector. Customers can buy crimped leads to build cable assembly quickly and flexibly, or pick up on-the-shelf cable assembly directly which can be delivery within 1~2 work days. We also can customize cable assembly per customer’s requirements quickly which lead time can be shorted to 5 workdays based on our huge stocks on connector and wires. The on-the-shelf cables could help customer to reduce costs associated with tooling, ease design requirements, expedite time to market and provide the convenience of using one vendor for the entire cable solution.

OTS Cable type:

- 1. Single Crimped Lead.
- 2. Wire Harness assembly.



Crimped Lead



Wire Harness Ass’y

Materials:

- Housing: 5264XX (50375XX3)
- Terminal: 8701039
- Hook Wire: UL1061 22AWG , 300V, 80℃.
- Wire Color: Black, Red, Yellow, Green, Blue, White.
- Cable Length: 100mm, 200mm, 300mm, 500mm, 1000m off the shelf. Customization for other length.

Crimped Lead:



单头
Single End



双头
Dual Ends

Order Information:

Gender	Wire Size	Single End	Dual Ends	Terminal P/N	Remark
Female	UL1061 22AWG	CB030318-1XX	CB030318-0XX	8701039	Tin Plated


2.50mm Wire Harness

Molex Mini Spox Series

东莞市康比旺电子科技有限公司

Dongguan Conbeone Electronics Technology co., ltd

Wire Harness Ass'y:



Order Information:

Mini Spox	CKTS	Single End	Dual Ends Type A	Dual Ends Type B	Housing P/N
All Black Wires	2P	CB020319-02*	CB020320-02*	CB020321-02*	50-37-5023
	3P	CB020319-03*	CB020320-03*	CB020321-03*	50-37-5033
	4P	CB020319-04*	CB020320-04*	CB020321-04*	50-37-5043
	5P	CB020319-05*	CB020320-05*	CB020321-05*	50-37-5053
	6P	CB020319-06*	CB020320-06*	CB020321-06*	50-37-5063
	7P	CB020319-07*	CB020320-07*	CB020321-07*	50-37-5073
	8P	CB020319-08*	CB020320-08*	CB020321-08*	50-37-5083
	9P	CB020319-09*	CB020320-09*	CB020321-09*	50-37-5093
	10P	CB020319-10*	CB020320-10*	CB020321-10*	50-37-5103
	11P	CB020319-11*	CB020320-11*	CB020321-11*	50-37-5113
	12P	CB020319-12*	CB020320-12*	CB020321-12*	50-37-5123
	13P	CB020319-13*	CB020320-13*	CB020321-13*	50-37-5133
	14P	CB020319-14*	CB020320-14*	CB020321-14*	50-37-5143
	15P	CB020319-15*	CB020320-15*	CB020321-15*	50-37-5153
Colorful Wires	2P	CB020000-02*	CB020001-02*	CB020002-02*	50-37-5023
	3P	CB020000-03*	CB020001-03*	CB020002-03*	50-37-5033
	4P	CB020000-04*	CB020001-04*	CB020002-04*	50-37-5043
	5P	CB020000-05*	CB020001-05*	CB020002-05*	50-37-5053
	6P	CB020000-06*	CB020001-06*	CB020002-06*	50-37-5063
	7P	CB020000-07*	CB020001-07*	CB020002-07*	50-37-5073
	8P	CB020000-08*	CB020001-08*	CB020002-08*	50-37-5083
	9P	CB020000-09*	CB020001-09*	CB020002-09*	50-37-5093
	10P	CB020000-10*	CB020001-10*	CB020002-10*	50-37-5103
	11P	CB020000-11*	CB020001-11*	CB020002-11*	50-37-5113
	12P	CB020000-12*	CB020001-12*	CB020002-12*	50-37-5123
	13P	CB020000-13*	CB020001-13*	CB020002-13*	50-37-5133
	14P	CB020000-14*	CB020001-14*	CB020002-14*	50-37-5143
	15P	CB020000-15*	CB020001-15*	CB020002-15*	50-37-5153
Colorful Wires With PVC Tube	2P	CB020003-02*	CB020004-02*	CB020005-02*	50-37-5023
	3P	CB020003-03*	CB020004-03*	CB020005-03*	50-37-5033
	4P	CB020003-04*	CB020004-04*	CB020005-04*	50-37-5043
	5P	CB020003-05*	CB020004-05*	CB020005-05*	50-37-5053
	6P	CB020003-06*	CB020004-06*	CB020005-06*	50-37-5063
	7P	CB020003-07*	CB020004-07*	CB020005-07*	50-37-5073
	8P	CB020003-08*	CB020004-08*	CB020005-08*	50-37-5083
	9P	CB020003-09*	CB020004-09*	CB020005-09*	50-37-5093
	10P	CB020003-10*	CB020004-10*	CB020005-10*	50-37-5103

2.50mm Wire Harness

Molex Mini Spox Series

东莞市康比旺电子科技有限公司

Dongguan Conbeone Electronics Technology co., Ltd

Technical support and customization inquire, please contact with:

Roy Wang, +86-13640617500, Roy.Wang@conbeone.com

REV 2.0 2025.09.24