


4

3

2

1

SOCKET TERMINAL INSIDE

SOCKET TERMINAL
350570-3

27,43 REF

L

4.5
Stripped

FIGURE 2

D

D

C

C

B

B

A

A

CKTS	CABLE P/N	L(MM)	Tolerance	HSG P/N	SHEET
1x1	CB020346-011	100	±6	350866-1	1
1x1	CB020346-012	200	±6	350866-1	1
1x1	CB020346-013	300	±6	350866-1	1
1x1	CB020346-014	500	±8	350866-1	1
1x1	CB020346-015	1000	±10	350866-1	1
1x2	CB020346-021	100	±6	350778-1	2
1x2	CB020346-022	200	±6	350778-1	2
1x2	CB020346-023	300	±6	350778-1	2
1x2	CB020346-024	500	±8	350778-1	2
1x2	CB020346-025	1000	±10	350778-1	2
1x3	CB020346-031	100	±6	350767-1	2
1x3	CB020346-032	200	±6	350767-1	2
1x3	CB020346-033	300	±6	350767-1	2
1x3	CB020346-034	500	±8	350767-1	2
1x3	CB020346-035	1000	±10	350767-1	2
1x4	CB020346-041	100	±6	350780-1	2
1x4	CB020346-042	200	±6	350780-1	2
1x4	CB020346-043	300	±6	350780-1	2
1x4	CB020346-044	500	±8	350780-1	2
1x4	CB020346-045	1000	±10	350780-1	2
1x5	CB020346-051	100	±6	350810-1	2
1x5	CB020346-052	200	±6	350810-1	2
1x5	CB020346-053	300	±6	350810-1	2
1x5	CB020346-054	500	±8	350810-1	2
1x5	CB020346-055	1000	±10	350810-1	2
1x6	CB020346-061	100	±6	926307-3	2
1x6	CB020346-062	200	±6	926307-3	2
1x6	CB020346-063	300	±6	926307-3	2
1x6	CB020346-064	500	±8	926307-3	2
1x6	CB020346-065	1000	±10	926307-3	2
1x8	CB020346-081	100	±6	926308-3	2
1x8	CB020346-082	200	±6	926308-3	2
1x8	CB020346-083	300	±6	926308-3	2
1x8	CB020346-084	500	±8	926308-3	2
1x8	CB020346-085	1000	±10	926308-3	2
1x10	CB020346-101	100	±6	926309-3	2
1x10	CB020346-102	200	±6	926309-3	2
1x10	CB020346-103	300	±6	926309-3	2
1x10	CB020346-104	500	±8	926309-3	2
1x10	CB020346-105	1000	±10	926309-3	2

CKTS	CABLE P/N	L(MM)	Tolerance	HSG P/N	SHEET
2x3	CB020346-231	100	±6	350781-1	3
2x3	CB020346-232	200	±6	350781-1	3
2x3	CB020346-233	300	±6	350781-1	3
2x3	CB020346-234	500	±8	350781-1	3
2x3	CB020346-235	1000	±10	350781-1	3
3x3	CB020346-331	100	±6	350782-1	3
3x3	CB020346-332	200	±6	350782-1	3
3x3	CB020346-333	300	±6	350782-1	3
3x3	CB020346-334	500	±8	350782-1	3
3x3	CB020346-335	1000	±10	350782-1	3
4x3	CB020346-341	100	±6	350783-1	3
4x3	CB020346-342	200	±6	350783-1	3
4x3	CB020346-343	300	±6	350783-1	3
4x3	CB020346-344	500	±8	350783-1	3
4x3	CB020346-345	1000	±10	350783-1	3
5x3	CB020346-351	100	±6	350784-1	3
5x3	CB020346-352	200	±6	350784-1	3
5x3	CB020346-353	300	±6	350784-1	3
5x3	CB020346-354	500	±8	350784-1	3
5x3	CB020346-355	1000	±10	350784-1	3

WIRE CHART:

SIDE A		SIDE B
PIN 1	=====	STRIPPED
PIN 2	=====	STRIPPED
PIN N	=====	STRIPPED

REMARK:

- 1) ROHS 2.0 COMPLIANT.
- 2) MEET IPC-620 SPECIFICATION.

3	AR	M	UL1061 HOOK WIRE, 80°C, 300V, BLACK, 18AWG								
2	N	PCS	6.35mm PITCH UNIVERSAL MATE-N-LOK SOCKET TERMINAL, TE 350570-3								
1	I	PCS	6.35mm PITCH UNIVERSAL MATE-N-LOK CAP HOUSING, TE, P/N SEE TABLE								
S/N	QTY	UNIT	DESCRIPTION								
		GENERAL TOLERANCE UNLESS SPECIFIED: 0 PLC ±1.27 1 PLC ±0.50 2 PLC ±0.13 3 PLC ±0.03 4 PLC ±0.002 ANGLES ±3°	APPROVED	P/N:	CONBEONE www.conbeone.com						
			RW	SEE TABLE							
			CHECKED	DOC#	TITLE: TE UNIVERSAL MATE-N-LOK 6.35MM, CAP, SINGLE END						
			CT	SD-CB020346							
THE DRAWING IS A CONTROLLED DOCUMENT FOR DONGGUAN CONBEONE TECHNOLOGY CO., LTD. IT IS SUBJECT TO CHANGE AND THE SEMPER ENGINEERING CONTROLLING ORGANIZATION SHOULD BE CONTACTED FOR LATEST REVISION			DRAWN	CUSTOMER COPY			SIZE	UNIT	SCALE	PAGE	REV
			MW				A4	MM	N.T.S	1 OF 3	A

4

3

2

1

4


3

2

1

SOCKET TERMINAL INSIDE

REV.	CHANG DESCRIPTION	BY	DATE
A	NEW RELEASE	MW	240726



SOCKET TERMINAL
350570-3

27,43 REF


L

4.5


Stripped

1 2


3




350781-1



350782-1



350783-1



350784-1



THE DRAWING IS A CONTROLLED DOCUMENT FOR
DONGGUAN CONBEONE TECHNOLOGY CO., LTD. IT IS
SUBJECT TO CHANGE AND THE SEMPER ENGINEERING
CONTROLLING ORGANIZATION SHOULD BE
CONTACTED FOR LATEST REVISION

GENERAL TOLERANCE
UNLESS SPECIFIED:
0 PLC ± 1.27
1 PLC ± 0.50
2 PLC ± 0.13
3 PLC ± 0.03
4 PLC ± 0.002
ANGLES $\pm 3^\circ$

APPROVED

RW

CHECKED

CT

DRAWN

MW

PIN:

SEE TABLE

DOC#

SD-CB020340

CUSTOMER COPY

CONBEONE

www.conbeone.com

TITLE: TE UNIVERSAL MATE-N-LOK
6.35MM, CAP, SINGLE END

SIZE	UNIT	SCALE	PAGE	REV
A4	MM	N.T.S	3 OF 3	A

4

3

2

1


4

3


2

1


SOCKET TERMINAL INSIDE




SOCKET TERMINAL
350570-3




4.5
Stripped




350778-1




350767-1




350780-1




350810-1



926307-3



926308-3



926309-3



GENERAL TOLERANCE
UNLESS SPECIFIED:
0 PLC ± 1.27
1 PLC ± 0.50
2 PLC ± 0.13
3 PLC ± 0.03
4 PLC ± 0.002
ANGLES $\pm 3^\circ$

THE DRAWING IS A CONTROLLED DOCUMENT FOR
DONGGUAN CONBEONE TECHNOLOGY CO., LTD. IT IS
SUBJECT TO CHANGE AND THE SEMPER ENGINEERING
CONTROLLING ORGANIZATION SHOULD BE
CONTACTED FOR LATEST REVISION

APPROVED

RW

CHECKED

CT

DRAWN

MW

PIN:

SEE TABLE

DOC#

SD-CB020346

CUSTOMER COPY

CONBEONE

www.conbeone.com

TITLE: TE UNIVERSAL MATE-N-LOK
6.35MM, CAP, SINGLE END

SIZE	UNIT	SCALE	PAGE	REV
A4	MM	N.T.S	2 OF 3	A

4

3

2

1