







REV.	CHANG DESCRIPTION	BY	DATE
A	NEW RELEASE	MW	21/11/04



WIRE CHART:

SIDE A	SIDE B
PIN 1	PIN 1
PIN 2	PIN 2
PIN 3	PIN 3
PIN 4	PIN 4

CONBEONE P/N	L(MM)	TOLERANCE	WIRE COLOR
CB030214-001	145	±6	BLACK
CB030214-002	295	±6	BLACK
CB030214-003	495	±8	BLACK
CB030214-004	695	±10	BLACK
CB030214-005	995	±10	BLACK


REMARK:

1) ROHS 2.0 COMPLIANT.

2) MEET IPC-620 SPECIFICAITON.

3) 100% OPEN/SHORT TEST.

3	AR	M	UL1061 HOOK WIRE, 80°C, 300V, 18AWG, BLACK									
2	8	PCS	4.2MM PITCH FEMALE TERMINAL, TIN PLATED, 18-24awg, MOLEX39000038									
1	2	PCS	4.2MM PITCH REC HSG, SINGLE ROW, 4P, UL94V-2, MOLEX39-01-4040									
S/N	QTY	UNIT	DESCRIPTION									
			GENERAL TOLERANCE UNLESS SPECIFIED:		APPROVED	PIN:	CONBEONE www.conbeone.com					
			0 PLC ± 127 1 PLC ± 0.50 2 PLC ± 0.13 3 PLC ± 0.03 4 PLC ± 0.002 ANGLES ±3°		Roy Wang	SEE TABLE						
					CHECKED	DOC#	TITLE: 4.2MM WIRE HARNESS, 1R4P, REC, DE					
					Julia Wang	CB030214-0						
THE DRAWING IS A CONTROLLED DOCUMENT FOR DONGGUAN CONBEONE TECHNOLOGY CO., LTD. IT IS SUBJECT TO CHANGE AND THE SEMPER ENGINEERING CONTROLLING ORGANIZATION SHOULD BE CONTACTED FOR LATEST REVISION.			DRAWN		CUSTOMER COPY			SIZE	UNIT	SCALE	PAGE	REV
			Kylnn Wang					A4	MM	N.T.S	1 OF 1	A



REV.	CHANG DESCRIPTION	BY	DATE
A	NEW RELEASE	MW	21/11/04

WIRE CHART:	
SIDE A	SIDE B
PIN 1	OPEN
PIN 2	OPEN
PIN 3	OPEN
PIN 4	OPEN

CONBEONE P/N	L(MM)	TOLERANCE	WIRE COLOR
CB030214-101	150	±6	BLACK
CB030214-102	300	±6	BLACK
CB030214-103	500	±8	BLACK
CB030214-104	700	±10	BLACK
CB030214-105	1000	±10	BLACK


REMARK:

1) ROHS 2.0 COMPLIANT.




2) MEET IPC-620 SPECIFICAITON.

3) 100% OPEN/SHORT TEST.

3	AR	M	UL1061 HOOK WIRE, 80°C, 300V, 18AWG, BLACK							
2	4	PCS	4.2MM PITCH FEMALE TERMINAL, TIN PLATED, 18-24awg, MOLEX39000038							
1	1	PCS	4.2MM PITCH REC HSG, SINGLE ROW, 4P, UL94V-2, MOLEX39-01-4040							
S/N	QTY	UNIT	DESCRIPTION							
		GENERAL TOLERANCE UNLESS SPECIFIED: 0 PLC ± 1.27 1 PLC ± 0.50 2 PLC ± 0.13 3 PLC ± 0.03 4 PLC ± 0.002 ANGLES ± 3°		APPROVED	PIN:	 www.conbeone.com				
				Roy Wang	SEE TABLE					
				CHECKED	DOC#	TITLE: 4.2MM WIRE HARNESS, 1R4P, REC,SE				
				Julia Wang	CB030214-1					
				DRAWN		CUSTOMER COPY		SIZE	UNIT	SCALE
THE DRAWING IS A CONTROLLED DOCUMENT FOR DONGGUAN CONBEONE TECHNOLOGY CO., LTD. IT IS SUBJECT TO CHANGE AND THE SEMPER ENGINEERING CONTROLLING ORGANIZATION SHOULD BE CONTACTED FOR LATEST REVISION		Kylnn Wang				A4	MM	N.T.S	1 OF 1	A



REV.	CHANG DESCRIPTION	BY	DATE
A	NEW RELEASE	MW	21/11/04



WIRE CHART:

SIDE A	SIDE B
PIN 1	PIN 1
PIN 2	PIN 2
PIN 3	PIN 3
PIN 4	PIN 4

CONBEONE P/N	L(MM)	TOLERANCE	WIRE COLOR
CB030214-501	145	±6	BLACK
CB030214-502	295	±6	BLACK
CB030214-503	495	±8	BLACK
CB030214-504	695	±10	BLACK
CB030214-505	995	±10	BLACK

REMARK:


1) ROHS 2.0 COMPLIANT.

2) MEET IPC-620 SPECIFICAITON.

3) 100% OPEN/SHORT TEST.

3	AR	M	UL1061 HOOK WIRE, 80°C, 300V, 18AWG, BLACK
2	8	PCS	4.2MM PITCH FEMALE TERMINAL, TIN PLATED, 18-24AWG, MOLEX39000038
1	2	PCS	4.2MM PITCH REC HSG, SINGLE ROW, 4P, UL94V-0, MOLEX39-01-4041
S/N	Q'TY	UNIT	DESCRIPTION
			GENERAL TOLERANCE UNLESS SPECIFIED: 0 PLC ± 1.27 1 PLC ± 0.50 2 PLC ± 0.13 3 PLC ± 0.03 4 PLC ± 0.002 ANGLES ± 3°
APPROVED		PIN:	CONBEONE www.conbeone.com
Roy Wang		SEE TABLE	
CHECKED		DOC#	TITLE:
Julia Wang		CB030214-5	4.2MM WIRE HARNESS, 1R4P, REC, DE
DRAWN		CUSTOMER COPY	SIZE UNIT SCALE PAGE REV
Kylnn Wang			A4 MM N.T.S 1 OF 1 A

THE DRAWING IS A CONTROLLED DOCUMENT FOR
DONGGUAN CONBEONE TECHNOLOGY CO., LTD. IT IS
SUBJECT TO CHANGE AND THE SEMPER ENGINEERING
CONTROLLING ORGANIZATION SHOULD BE
CONTACTED FOR LATEST REVISION



REV.	CHANG DESCRIPTION	BY	DATE
A	NEW RELEASE	MW	21/11/04

CONBEONE P/N	L(MM)	TOLERANCE	WIRE COLOR
CB030214-601	150	±6	BLACK
CB030214-602	300	±6	BLACK
CB030214-603	500	±8	BLACK
CB030214-604	700	±10	BLACK
CB030214-605	1000	±10	BLACK

REMARK:

1) ROHS 2.0 COMPLIANT.

2) MEET IPC-620 SPECIFICAITON.

3) 100% OPEN/SHORT TEST.

3	AR	M	UL1061 HOOK WIRE, 80°C, 300V, 18AWG, BLACK				
2	4	PCS	4.2MM PITCH FEMALE TERMINAL, TIN PLATED, 18-24awg, MOLEX39000038				
1	1	PCS	4.2MM PITCH REC HSG, SINGLE ROW, 4P, UL94V-0, MOLEX39-01-4041				
S/N	QTY	UNIT	DESCRIPTION				
			GENERAL TOLERANCE UNLESS SPECIFIED:	APPROVED	PIN:	CONBEONE www.conbeone.com	
			0 PLC ± 127 1 PLC ± 0.50 2 PLC ± 0.13 3 PLC ± 0.03 4 PLC ± 0.002 ANGLES ±3°	Roy Wang	SEE TABLE		
			CHECKED	DOC#	TITLE: 4.2MM WIRE HARNESS, 1R4P, REC, SE		
			Julia Wang	CB030214-6			
The drawing is a controlled document for Dongguan Conbeone Technology Co., Ltd. It is subject to change and the sender engineering controlling organization should be contacted for latest revision			DRAWN	CUSTOMER COPY		SIZE	UNIT
			Kylinn Wang			A4	MM
					SCALE	PAGE	
					N.T.S	1 OF 1	
					REV		
					A		